

| Mat | eria | Safety Da | ta Sheet |
|---------------------------------|------|--------------------------|------------|
| Date of issue: | | Date of revision | Lima |
| 01/03/2017 | | 25/10/2022 | MSDS N° 13 |
| | | Version: 2 | |
| According to: Regulation (EC) N | | (EC) N° 1907/2006 (REACH | H) |
| Regulation (EC) N° 45 | | (EC) N° 453/2010 | |
| Regulation | | (EC) N° 1272/2008 (CLP) | |

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name

GROGREEN FIVE FRUCTUS

| EINECS Name/Number | Mixture – therefore not relevant |
|--------------------|----------------------------------|
| IUPAC Name | Mixture – therefore not relevant |
| Molecular formula | Mixture – therefore not relevant |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses: | Product is used to supply nutrients to the soil or directly to the plant |
|---------------------------|--|
| | The solution of the solution o |

Uses advised against: Not identified

1.3 Details of the supplier of the safety data sheet

Distributed by:

| LIMA EUROPE NV | Tel. nr.: +32-3-844-73-70 |
|------------------------|---------------------------|
| Doelhaagstraat 77/1 | Fax nr.: +32-3-888-14-82 |
| B-2840 Rumst – Belgium | info@lima-europe.eu |

Produced by:

LIMA EUROPE NV

1.4 Emergency telephone number

| LIMA EUROPE NV | +32-3-844-73-70 |
|-----------------------------|-----------------|
| National Poison Center (BE) | +32 70 245 245 |

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Product description: : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

:

Classification

Eye irrit.2, H319; Causes serious eye damage Aqua Chron. 3, H412: Harmful to aquatic life with long-lasting effects.

MSDS - GROGREEN FIVE FRUCTUS



2.2 Label elements

| Hazard pictogram (CLP) | : | \mathbf{V} |
|---------------------------|---|--|
| CLP signal word | : | Warning |
| Hazard statements (CLP) | : | Causes serious eye damage Harmful to aquatic life with long-lasting effects |
| Precautions | | : Avoid eye contact. If in eyes: rinse immediately with an abundance of water and seek medical attention if needed. Avoid release in the environment. Dispose according to local/regional/national/international regulation |
| Additional label elements | : | Not applicable |
| Packaging requirements | : | Not applicable |
| Other hazards: | | |

2.3

Substance complies with criteria for PBT according to regulation (EC) nr 1907/2006, annex XIII

Substance complies with criteria for zPzB according to regulation (EC) nr 1907/2006, annex XIII

Other hazards that do not require classification:

Not applicable

Not applicable

In combination with water the product can cause a slippery surface.

3. **COMPOSITION/INFORMATION ON INGREDIENTS**

| Substance name | Identification | % | Classification according to regulation (EC) nr 1272/2008 (CLP) | Туре |
|----------------------|--|------|--|------|
| Potassium nitrate | RPN: 01-2119488224-35 EC: 231-818-8 CAS-Number: 7757-79-1 | < 30 | Ox. Sol Cat 3 – H272 | [1] |
| Phosphoric Acid | RPN: 01-2119485924-24 EC: 231-633-2 CAS-number: 7664-38-2 | < 20 | Skin Corr. 1B – H319 Met. Corr 1 – H290 | [1] |
| Calcium nitrate | RPN: 01-2119493947-16 EC: 239-289-5 CAS-number: 15245-12-2 | < 20 | Acute Tox – H302 Eye dam 1 – H318 | [1] |

Type:

[1] Substance is classified as a physical, health or environment hazard

[2] Substance with a workplace exposure limit

[3] Substance complies with criteria for PBT according to regulation (EC) nr 1907/2006 annex XIII

[4] Substance complies with criteria for vPvB according to regulation (EC) nr 1907/2006 annex XIII

Full text of H- and P-phrases mentioned above: see section 16

LIMA EUROPE NV Doelhaagstraat 77/1 B-2840 Rumst (Belgium)



4. FIRST AID MEASURES

4.1 Description of first aid measures

| After skin contact: | Wash immediately with an abundance of water and soap. If skin irritation persists, seek medical advice and attention. |
|---------------------|--|
| After eye contact: | Immediately flush eyes with plenty of water (> 15 min), occasionally lifting the upper and lower eyelids. Remove contact lenses if present and easy to do. Continue rinsing. |
| After ingestion: | DO NOT induce vomiting unless directed to do so by medical personnel. Give lots of water/milk to drink. Seek medical attention if large amounts were ingested. |
| After inhalation: | Remove to fresh air and keep at rest in a comfortable position. Respiratory problems: seek medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

| After skin contact: | Significant effects or critical dangers are unknown |
|---------------------|---|
| After inhalation: | Exposure to decomposition products can lead to health problems. After exposure, serious effects can have a delayed occurrence. Treat symptomatically. |
| After eye contact: | Significant effects or critical dangers are unknown |
| After ingestion: | Significant effects or critical dangers are unknown |
| | |

4.3 Indication of any immediate medical attention and special treatment needed

| Remarks for physician/doctor: | Treat symptomatically. Immediately contact a specialist for treatment of poisoning when large amounts were ingested or inhaled. After inhalation of decomposition products produced by a fire, delayed symptoms can occur. Medical surveillance of 48 hours is recommended. |
|-------------------------------|---|
|-------------------------------|---|

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

| Suitable extinguishing media: | Extinguish with an abundance of water |
|---------------------------------|--|
| Unsuitable extinguishing media: | Do not use extinguishers based on chemicals or foam. Do not put out the fire |
| | using steam or sand. |

5.2. Special hazards arising from the substance or mixture

| Risks of the substance or mixture: | Mixture is not flammable but can maintain combustion, even in the absence of oxygen. When heated, the mixture melts and continuous heating can cause decomposition which releases toxic fumes containing nitrous oxides and ammonia based compounds. |
|------------------------------------|--|
| Hazardous decomposition products: | Nitrous oxides Ammonia based compounds Phosphorus oxides |

5.3. Advice for firefighters

| Protection during firefighting: | Firefighters should wear appropriate protective equipment and self-contained |
|---------------------------------|--|
| | breathing apparatus with a full face-piece operated in positive pressure mode. |
| | Protective clothing contains: appropriate protective gloves, safety mask and |
| | goggles and clothing which provides adequate protection for chemical |
| | incidents. |

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

LIMA EUROPE NV Doelhaagstraat 77/1 B-2840 Rumst (Belgium)



| For others than emergency staff: | Do not attempt to take action when there is a serious personal hazard or in case of insufficient training. Evacuate the building and surrounding areas. Do not touch spilled material. Wear suitable protection. |
|----------------------------------|--|
| For emergency responders: | Wear protective gloves, clothing and eye protection. Identify the contaminated area and keep all unprotected persons out. |

6.2. Environmental precautions

- Prevent soil and water pollution. Prevent spreading in sewers. Stop leaks if possible.
- If product enters drains/sewers or the environment (soil, streams, rivers, air), inform the associated authorities.

6.3. Methods and materials for containment and cleaning up

- Remove packaging from the contaminated area.
- Any spillage should be cleaned up immediately. Avoid contamination of sewers, streams, soil and contained spaces.
- Collect as much as possible in a suitable clean container. Removal of collected spills must be done by a competent authority.

6.4. Reference to other sections

- See section 1 for emergency contact information
- See section 8 for information on appropriate personal protective equipment
- See section 13 for additional waste treatment

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective precautions:

- Avoid contact with eyes, skin and clothing.
- Do not inhale/ingest.
- Store in original packaging or in approved alternative of compatible material.
- Keep product contained when not in use.
- Do not mix mixture with basic products (pH>7).
- Keep away from heath or source of fire
- Emptied packaging can retain some product and can be hazardous.

Hygiene measures:

- Do not eat, drink or smoke during use.
- Wash hands after handling and using the product
- Remove contaminated clothing before entering an area designated for eating

7.2 Conditions for safe storage, including any incompatibilities

- Store in original packaging, protected from direct sunlight. Keep in a dry, cool and well ventilated area.
- Keep away from heat sources and open flames.
- Keep away from organic materials, oil and grease.
- Keep away from combustible materials and materials mentioned in section 10.5.
- Store in accordance with regional and national regulations.
- Do not eat, drink or smoke in the area where the material is used, stored or processed.
- Product remains stable for 2 years if stored according to all provisions.

7.3 Specific end use(s)

No additional information available

LIMA EUROPE NV Doelhaagstraat 77/1 B-2840 Rumst (Belgium)



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure limits

| Product name | Exposure limits | |
|--|--|--|
| Phopshoric Acid Short term: 15-min STEL (short term exposure limits) : 2 m | | |
| | 8-uur TWA (Time weighted average): 1 mg/m ³ | |

DNEL's/DMEL's

| Product name | Туре | Exposure | Value | Population | Effects |
|----------------------|------|--------------------------|------------------------|------------|----------|
| Phosphoric Acid | DNEL | Short-term Inhalation | 2 mg/m ³ | Employees | Systemic |
| Phosphoric Acid | DNEL | Long-term Inhalation | 2.92 mg/m ³ | Employees | Systemic |
| Phosphoric Acid | DNEL | Long-term Inhalation | 0.73 mg/m ³ | End users | Local |
| Calcium nitrate | DNEL | Long-term Dermal | 13,9 mg/m ³ | Employees | Systemic |
| Calcium nitrate | DNEL | Long-term Inhalation | 98 mg/m ³ | Employees | Systemic |
| Potassium nitrate | DNEL | Long-term Dermal | 20,8 mg/kg | Employees | Systemic |
| Potassium nitrate | DNEL | Long-term Inhalation | 36,7 mg/m ³ | Employees | Systemic |
| Potassium nitrate | DNEL | Long-term Dermal | 12,5 mg/kg bw/day | End users | Systemic |
| Potassium nitrate | DNEL | Long-term inhalation | 10,9 mg/m3 | End users | Systemic |
| Potassium nitrate | DNEL | Long-term Oral | 12,5 mg/kg bw/day | End users | Systemic |

PNEC's

| Product name | Туре | Detail compartment | Value | Detail method |
|----------------------|------|------------------------|------------|--------------------|
| Calcium nitrate | PNEC | Fresh wáter deposit | 0,45 mg/l | Assessment factors |
| Calcium nitrate | PNEC | Marine | 0,045 mg/l | Assessment factors |
| Calcium nitrate | PNEC | Intermitterend | 4,5 mg/l | Assessment factors |
| Calcium nitrate | PNEC | Sewage wáter treatment | 18 mg/l | Assessment factors |
| Potasium nitrate | PNEC | Marine | 0,045 mg/l | Assessment factors |
| Potassium nitrate | PNEC | Sewage water treatment | 18 mg/l | Assessment factors |
| Potassium nitrate | PNEC | Fresh wáter | 0,45 mg/l | Assessment factors |



8.2 Exposure controls

| Appropriate engineering controls: | If user operations generate dust, use process enclosures, local exhaust ventilation of other controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
|-----------------------------------|---|
| Personal protective controls: | |
| Hygiene precautions: | Security shower or eyewash stations must be provided at the workplace. |
| Eye protection: | If risk assessment concludes the need of protection, use appropriate approved protective equipment (safety glasses, face shield). |
| Skin protection: | If risk assessment concludes the need of protection, use appropriate approved protective equipment (resistant gloves). |
| Body protection: | Personal protective equipment must be used according to the activities. Wear protective clothing and impervious footwear. |
| Respiratory protection: | If risk assessment concludes the need of protection, use appropriate approved protective equipment (respiratory equipment/gas mask). |
| Environmental exposure controls: | Emissions from ventilation or work process equipment should be checked to ensure they comply with legislation. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Physical state: Odor: Odor threshold: | Gel-type suspension Odorless No data available |
|---|--|
| pH solution: | 2.0 (1 % solution) |
| Melting point: | No data available |
| Boiling point: | >210 °C (decomposes) |
| Flash point: | No data available |
| Evaporation rate: | No data available |
| Flammability: | Not flammable |
| Explosive limits: | No data available |
| Vapor pressure: | No data available |
| Relative vapour density: | No data available |
| Density: | +/- 1.60 kg/liter |
| Solubility: | Water: complete |
| n-octanol/water partition coefficient: | No data available |
| Self ignition temperature: | No data available |
| Decomposition temperature: | >210 °C |
| Viscosity: | >10.000 cps |
| Exposive properties: | None |
| Oxidizing properties: | No data available |

9.2 Other information

No additional information present

10. STABILITY AND REACTIVITY

Product is stable under normal conditions of handling and storage

10.1 Reactivity

• Product is stable under normal conditions of handling and storage

LIMA EUROPE NV Doelhaagstraat 77/1 B-2840 Rumst (Belgium)



10.2 Chemical stability

• Stable under normal conditions

10.3 Possibility of hazardous reactions

• Product can react heavily with basic substances (pH>7) where temperature increases can occur.

10.4 Conditions to avoid

• Avoid contamination with alkaline substances, combustible materials, reducing agents and organic materials.

10.5 Incompatible materials

- Substance reacts or is incompatible with following materials:
 - o Alkaline substancies
 - o Combustible materials
 - o Reducing agents

10.6 Hazardous decomposition products

- Under normal conditions of handling and storage, no hazardous components are produced
- With heating or burning: release of toxic and corrosive gases/vapors (Ammonia, Nitrous gases, Phosphorus oxides and Sulphur oxides)



11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Hazard class | Value | Method |
|--|---|--------------------|
| Acute toxicity | | |
| Oral | | |
| Potassium nitrate | LD50: < 2000 mg/kg | Rat |
| Calcium nitrate | 500 mg/kg | Rat |
| Phopshoric Acid | 2600 mg/kg | Rat OECD 423 |
| Dermal | | |
| Potassium nitrate | >2000 mg/kg | Rat |
| Calcium nitrate | > 2000 mg/kg | Rat |
| Inhalation | No available data | |
| Skin corrosion/irritation | Significant effects or critical values are unknown. | |
| Serious eye damage/irritation | Mixture is not eye corrosive (cat 1) | OECD Guideline 437 |
| Respiratory or skin sensitation | Significant effects or critical values are unknown. | |
| Germ cell mutagenicity | Significant effects or critical values are unknown. | |
| Carcinogenity | Significant effects or critical values are unknown. | |
| Reproductive toxicity | Significant effects or critical values are unknown. | |
| Specific target organ toxicity (single exposure) | Significant effects or critical values are unknown. | |
| Specific target organ toxicity (repeated exposure) | Significant effects or critical values are unknown. | |
| Aspiration hazard | Significant effects or critical values are unknown. | |

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Significant effects or critical values are unknown

LIMA EUROPE NV Doelhaagstraat 77/1 B-2840 Rumst (Belgium)

MSDS – GROGREEN FIVE FRUCTUS

| Product name | Result | Species | Exposure |
|-------------------|---|---|----------|
| Calcium nitrate | Acute EC50: > 100 Fresh water OECD 202 | Other aquatic organisms: Daphnia magna | 48 h |
| Calcium nitrate | Acute LC50: 447 mg/l Fresh water | Fish | 48 h |
| Calcium nitrate | Acute LC50 > 100 mg/l Fresh wáter OECD 201 | Aquatic plants – Heterosigma akashiwo | 72 h |
| Calcium nitrate | Acute EC50 > 1,000 mg/l Activated sludge OECD 209 | Micro-organism | 3 h |
| Potassium nitrate | Acute LC50 1,378 mg/l Fresh wáter OECD 203 | Fish –Labeo boga | 96 h |
| Potassium nitrate | Acute EC50 490 mg/l Fresh wáter | Aquatic ivertebrates – Daphnia | 48 h |
| Potassium nitrate | Actue EC50 > 1,700 mg/l Fresh wáter | Aquatic plants- Heterosigma akashiwo | 240 h |

12.2 Persistence and degradability

Biologically degradable in plants and soil

12.3 Bio accumulative potential

Significant effects or critical values are unknown

12.4 Mobility in soil

Nitrate-ions are mobile and ammonium-ions are absorbed by soil particles. Phosphate is merely transported over short distances in the soil and are afterwards immobilized. The mobility of potassium-ions is low due to absorption by soil particles. Dissolved magnesium-ions are adsorbed by clay particles in the soil. Leaching of nutrients into the soil occurs in the absence of clay particles.

12.5 Results of PBT and vPvB assessment

Not applicable

12.6 Other adverse effects

Significant effects or critical values are unknown.

13. DISPOSAL CONSIDERATIONS

- Waste production should be avoided and minimized as much as possible.
- Big quantities of rest products cannot be disposed through the sewers and need to be processed by an appropriate authority.
- Remove waste in accordance with local and/or national regulations.

14. TRANSPORT INFORMATION

14.1 UN-number

Non-dangerous goods according to 'United Nations Recommendations on the Transportation of Dangerous Goods' (UN Orange Book) and according to international transport codes RID (railroad), ADR (road) and IMDG (sea).

14.2 UN proper shipping name

LIMA EUROPE NV Doelhaagstraat 77/1 B-2840 Rumst (Belgium)

MSDS – GROGREEN FIVE FRUCTUS



Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

See section 12

14.6 Special precautions for user

Necessary caution needs to be taken into account when transporting non-hazardous chemicals.

14.7 Transport in bulk according to annex II of MARPOL 73/78 and the IBC code

Not applicable

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU Regulations

 Regulation (EC) N° 2003/2003 of the European Parliament and of the Council of 13 October 2003 relating to fertilizers

15.1.2. National regulations

• Royal Decree of 28/01/2013 regarding the introduction into the market and the use of fertilizers, soil-improving agents and substrates [B.S. 13/03/2013]

15.2 Chemical safety assessment

No chemical safety assessment has been executed.

16. OTHER INFORMATION

16.1 Cause of revision

Compliance to regulation (EC) N° 453/2010.

16.2 Full list of abbreviations and acronyms

| BW | Body Weight |
|-------------|---|
| CLP | Regulation on classification, labeling and packaging (CLP) of substances and mixtures (Regulation |
| | (EC) N° 1272/2008) |
| DNEL | Derived No-Effect Level |
| DMEL | Derived Minimal Effect Level |
| EC50 | Concentration which induces a response halfway between the baseline and maximum after a specified |
| | exposure time |
| Eye irrit.2 | Eye irritation category 2 |
| GHS | Global regulation for classification and labeling of chemical substances |
| H272 | May intensify fire, oxidizer |
| H290 | May be corrosive to metals |
| LIMA EUROPE | NV Tel +32 3-844.73.70 |

Doelhaagstraat 77/1 B-2840 Rumst (Belgium)

MSDS – GROGREEN FIVE FRUCTUS



| H302 | Harmful is swallowed |
|---------------|--|
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| LC50 | Lethal concentration where 50% of the sample population are killed after a single exposure |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| Ox.Sol 3 | Oxidizing solids, category 3 |
| Skin corr. 1b | Skin corrosive category 1B |
| vPvB | Very persistent and very bio accumulative |

16.3 Important references and data

- Information from suppliers (MSDS and technical data sheets)
- 'Bovine Corneal Opacity and Permeability (BCOP) test for test substance GEL Vegetative According to OECD Guideline 437', VITO-ABS, Industriezone VLASMEER7, B2400 Mol

16.4 Procedure used to derive the classification according to Regulation (EC) nr 1272/2008 CLP/ GHS.

Classification: Eye irrit.2, H319; Justification: assessment by expert

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication and revision. The information given is designed only as guidance for safe handling, use, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information should be used in accordance with the technical information. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information does not redeem the user of the obligation to ensure handling according to all relevant regulations.

LIMA EUROPE NV Rumst - Belgium

LIMA EUROPE NV Doelhaagstraat 77/1 B-2840 Rumst (Belgium)